

STILIX SINGLE SCREEN

For a 55 to 86-inch screen



DIGITAL SIGNAGE

Number of screen : 1 screen

Screen size : 55 to 86"





Installation : attached to the wall

Finition : blanche

Part number :
STILIXS5586DS



70" screen simulation



STILIX SINGLE SCREEN

For a 75 to 100-inch screen



DIGITAL SIGNAGE


Number of screen : 1 screen

Screen size : 75 to 100"



Installation : attached to the wall

Finition : blanche

Part number :
STILIXS75100DS



85" screen simulation



● SPECIFICATIONS

Screen size	For a 55 to 86" screen	For a 75 to 100" screen
Part numbers	STILIXS5586DS	STILIXS75100DS
Structure	White painted steel	
Noth for plinth	211 mm (h) x 20 mm (d)	
Base dimensions (w x d x h)	380 x 160 x 6 mm	
Column	White painted steel	
Column dimensions (w x d x h)	300 x 70 x 1800 mm	
Screen fixing	Black painted steel with fixing kit	
Universal screen mount (VESA)	200 x 200 mm to 800 x 400 mm	200 x 200 mm to 1000 x 600 mm
Screen axis height	1490 mm to 1950 mm	1715 mm to 2175 mm
Max. screen weight	85 kg	130 kg
Stand weight	30 kg	45 kg

● OPTIONS

Black finish Structure en noir	P/N: STILIX/BLACK
Camera shelf VESA mount Attached to the VESA screen (with 500 mm strips) with a functional surface area of 290 mm (w) x 200 mm (d) In transparent plexiglass and black painted steel	P/N: SCUUV3_R1
1U player or codec holder Attached behind the screen with a functional depth of 70 mm max.	P/N: SCUUV12_1U
Other finish	P/N: on request