

STILIX SINGLE SCREEN

For a 46 to 80-inch screen



VIDEOCONFERENCING


Number of screen : 1 screen

Screen size : 46 to 80"





Installation : attached to the wall

Finish : white

Part number :
STILIXS4680VCPACK



Screen simulation 60"



STILIX SINGLE SCREEN

For a 75 to 100-inch screen



VIDEOCONFERENCING

Number of screen : 1 screen

Screen size : 75 to 100"



Installation : attached to the wall

Finish : white

Part number :
STILIXS75100VCPACK



Screen simulation 84"



STILIX SINGLE SCREEN

• SPECIFICATIONS

Screen size	For a 46 to 80" screen	For a 75 to 100" screen
Part numbers	STILIXS4680VCPACK	STILIXS75100VCPACK
Structure	White painted steel	
Noth for plinth	211 mm (h) x 20 mm (p)	
Base dimensions (w x d x h)	380 x 160 x 6 mm	
Column	White painted steel	
Column dimensions (w x d x h)	300 x 70 x 1704 mm	
Screen fixing	Black painted steel with fixing kit	
Screen fixing size (VESA)	200 x 200 mm to 800 x 400 mm VESA	200 x 200 mm to 1000 x 600 mm VESA
Screen axis with adjustable height	1330 mm to 1740 mm	
Maximum screen weight	85 kg	130 kg
Stand weight	30 kg	45 kg
Accessories included (VC PACK)	<ul style="list-style-type: none">• Camera shelf (SCUV3_R1) attached to the screen VESA (with 780 mm strips) with a functional surface area of 290 mm (w) x 200 mm (d)• 1U codec or player holer (SCUV12_1U) Depth from 30 mm to 70 mm	

• OPTIONS

Black finish Structure in black and camera shelf in plexiglass	P/N: /BLACK
Universal camera holder Above the screen	P/N: SCUV3
Other finish	P/N: on request