

STILIX WIDE

SINGLE SCREEN

For a 65 to 80-inch screen



DIGITAL SIGNAGE

Number of screen : 1 screen

Screen size : 65 to 80"


Installation : attached to the wall

Finish : white and wood

Part number :
STILIXWS6580DS



70" screen simulation



STILIX WIDE

SINGLE SCREEN

For a 75 to 100-inch screen



DIGITAL SIGNAGE


Number of screen : 1 screen

Screen size : 75 to 100"


Installation : attached to the wall

Finish : white and wood

Part number :
STILIXWS75100DS



85" screen simulation



• SPECIFICATIONS

Screen size	For 65 to 86" screen	For a 75 to 100" screen
Part numbers	STILIXWS6586DS	STILIXWS75100DS
Structure	White painted steel	
Notch for plinth	211 mm (h) x 20 mm (d)	
Base dimensions (w x d x h)	630 x 160 x 6 mm	
Column	Black painted steel with wooden front door and white inserts	
Front door dimensions (w x h)	550 x 785 mm	
Column dimensions (w x d x h)	550 x 110 x 1800 mm	
Screen fixing	Black painted steel with fixing kit	
Screen fixing size (VESA)	200 x 200 mm to 800 x 400 mm	200 x 200 mm to 1000 x 600 mm
Screen axis height	1360 mm to 1770 mm	1385 mm to 1790 mm
Max. screen weight	85 kg	130 kg
Stand weight	44 kg	89 kg
Accessories included (DS)	<ul style="list-style-type: none"> • Technology holder grid in the column 	

• OPTIONS

Camera shelf VESA mount Attached to the VESA screen (with 500 mm strips) with a functional surface area of 290 mm (w) x 200 mm (d) In transparent plexiglass and black painted steel	P/N: SCUUV3_R1
Universal codec holder Attached behind the screen with a functional depth of 10 mm to 95 mm	P/N: SCUUV12
Laser cutting in the column to integrate a soundbar below the screen	P/N: on request
Front door customisation Wooden or painted steel front door, customised finish on request	P/N: on request
Other finish	P/N: on request