

STILIX SINGLE SCREEN

For a screen from 46 to 80"



VIDEOCONFERENCING

Number of screen : 1 screen

Screen size : from 46 to 80"



Installation : fixed to the wall

Finish : white

Part number :
STILIXS4680VCPACK



Screen simulation 60"



STILIX SINGLE SCREEN

For a screen from 75 to 100"



VIDEOCONFERENCING

Number of screen : 1 screen

Screen size : from 75 to 100"



Installation : fixed to the wall

Finish : white

Part number :
STILIXS75100VCPACK



Screen simulation 84"



SINGLE SCREEN

• SPECIFICATIONS

Screen size	For a screen from 46 to 80"	For a screen from 75 to 100"
Part numbers	STILIXS4680VCPACK	STILIXS75100VCPACK
Structure	White painted steel	
Noth for plinth	211 mm (h) x 20 mm (p)	
Base dimensions (w x d x h)	380 x 160 x 6 mm	
Column	White painted steel	
Column dimensions (w x d x h)	300 x 70 x 1704 mm	
Screen fixing	Black painted steel with fixing kit	
Screen fixing size (VESA)	From 200 x 200 mm to 800 x 400 mm	From 200 x 200 mm to 1000 x 600 mm
Screen axis with adjustable height	From 1330 mm to 1740 mm	
Maximum screen weight	85 kg	150 kg
Stand weight	30 kg	45 kg
Accessories included (VC PACK)	<ul style="list-style-type: none">• Camera shelf in plexiglass (SMCP/CPS) Dimensions (w x d) : 290 mm x 200 mm• 1U codec or player holer (SCUV12_1U) Depth from 30 mm to 67 mm	

• OPTIONS

Black finish	P/N: /BLACK
Universal camera holder Above the screen	P/N: SCUUV3
Other finish	P/N: upon request