

# STILIX WIDE

SINGLE SCREEN

For a screen from 65 to 80"



## VIDEOCONFERENCING

Number of screen : 1 screen

Screen size : from 65 to 80"


Installation : fixed to the wall

Finish : white and wood

Part number :  
STILIXWS6580VCPACK



Screen simulation 70"



# STILIX WIDE SINGLE SCREEN

For a screen from 75 to 100"



## VIDEOCONFERENCING

Number of screen : 1 screen

Screen size : from 75 to 100"


Installation : fixed to the wall

Finish : white and wood

Part number :  
STILIXWS75100VCPACK



Screen simulation 85"



## SINGLE SCREEN

### • SPECIFICATIONS

Screen size	For a screen from 65 to 80"	For a screen from 75 to 100"
Part numbers	STILIXWS6580VCPACK	STILIXWS75100VCPACK
Structure	White painted steel	
Notch for plinth	211 mm (h) x 20 mm (d)	
Base dimensions (w x d x h)	630 x 160 x 6 mm	
Column	White painted steel with wooden front trapdoor	
Trapdoor dimensions (w x h)	540 x 698 mm	
Column dimensions (w x d x h)	550 x 110 x 1600 mm	
Screen fixing	Black painted steel with fixing kit	
Screen fixing size (VESA)	From 200 x 200 mm to 800 x 400 mm	From 200 x 200 mm to 1000 x 600 mm
Screen axis with adjustable height	From 1120 mm to 1480 mm	
Maximum screen weight	85 kg	150 kg
Stand weight	42 kg	57 kg
Accessories included (VC PACK)	<ul style="list-style-type: none"><li>• Universal codec holder (SCUV12) Depth from 10 mm to 95 mm</li><li>• Universal camera holder (SCUV3) above the screen</li></ul>	

### • OPTIONS

Laser cutting in the column to integrate a soundbar below the screen	P/N: upon request
Support codec spécifique	P/N: SCUV12_1U
Other finish	P/N: upon request