

XENON S-XR SINGLE SCREEN

For a 43 to 75-inch screen

DISPLAY STANDS

Screen number: 1 screen

Screen size: 43 to 75"

Installation: freestanding

Finish: black or brushed stainless steel

Part numbers: see table



65" screen simulation



Mobile version
black, decorative place, VC
XENONSXR-4375-PS-DP-VC




Static version (close to the wall)
brushed stainless steel, decorative place, VC
XENONSXR-4375-BSS-DP-CTW-VC

75" screen simulation




Mobile version, black
+ column mount for Cisco Quad Camera
XENONSXR-4375-PS-DS
+ ADT_R1COL_QUADCAM_ROOM BAR

STATIC



MOBILE



• COMMON SPECIFICATIONS

SCREEN SIZE	1 screen 43 to 75"	2 screens 52 to 65" (+ AX034-02)
Base	Steel with brushed stainless steel or black casing	
Base thickness	10 mm	
Column rear cover	Back in black eco-friendly plexiglass, easy access	
Column dimensions (w x d x h)	170 x 80 x 1650 mm	
Screen fixing	Black painted steel with mounting brackets	
VESA mini. / maxi.	1 screen : 200 x 200 mm / 600 x 400 mm 2 screens : 200 x 200 mm / 800 x 400 mm	
Max. screen weight	1 screen : 55 kg 2 screens : 30 kg / screen	
Stand weight	50 kg	
Accessories included (...-VC)	<ul style="list-style-type: none"> • Camera shelf (AX0011) Dimensions: 300 mm (w) x 230 mm (d) • Universal codec/device holder (SCUV12) Max. usable depth: 90 mm (behind-screen mounting) 	


• SPECIFICATIONS BY INSTALLATION

INSTALLATION	STATIC (close to the wall -CTW-)	MOBILE
Casters / Teflon pads	On adjustable Teflon pads	On casters (ø 35 mm pre-assembled)
Base dimensions (w x d x h)	800 x 450 x 45 mm	800 x 450 x 70 mm
Mini. bottom screen edge height	1 screen 43" : 1122 mm 1 or 2 screens 55" : 970 mm 1 or 2 screens 65" : 858 mm 1 screen 75" : 720 mm	1 screen 43" : 1162 mm 1 or 2 screens 55" : 1010 mm 1 or 2 screens 65" : 888 mm 1 screen 75" : 760 mm
Maxi. bottom screen edge height	1 screen 43/75" or 2 screens 52/65" : 1240 mm	1 screen 43/75" or 2 screens 52/65" : 1270 mm
Camera shelf height	970 mm to 1190 mm 5 positions with 55 mm increments	1000 mm to 1220 mm 5 positions with 55 mm increments
Wall / column distance	8,5 mm	80 mm
Wall / rear screen distance	131 mm	200 mm


• FINISHES BASE & COLUMN



• DECORATIVE FRONT PLATE DESIGN PACK








• INCLUDED



● PART NUMBERS

Part numbers	Installation	Finish	Decorative front plate	Accessories included (...-VC)
XENONSXR-4375-PS-CTW-DS	static	black	-	-
XENONSXR-4375-PS-DP-CTW-DS	static	black	yes	-
XENONSXR-4375-PS-CTW-VC	static	black	-	AX0011 + SCUUV12
XENONSXR-4375-PS-DP-CTW-VC	static	black	yes	AX0011 + SCUUV12
XENONSXR-4375-BSS-CTW-DS	static	brushed stainless steel	-	-
XENONSXR-4375-BSS-DP-CTW-DS	static	brushed stainless steel	yes	-
XENONSXR-4375-BSS-CTW-VC	static	brushed stainless steel	-	AX0011 + SCUUV12
XENONSXR-4375-BSS-DP-CTW-VC	static	brushed stainless steel	yes	AX0011 + SCUUV12
XENONSXR-4375-PS-DS	on casters	black	-	-
XENONSXR-4375-PS-DP-DS	on casters	black	yes	-
XENONSXR-4375-PS-VC	on casters	black	-	AX0011 + SCUUV12
XENONSXR-4375-PS-DP-VC	on casters	black	yes	AX0011 + SCUUV12
XENONSXR-4375-BSS-DS	on casters	brushed stainless steel	-	-
XENONSXR-4375-BSS-DP-DS	on casters	brushed stainless steel	yes	-
XENONSXR-4375-BSS-VC	on casters	brushed stainless steel	-	AX0011 + SCUUV12
XENONSXR-4375-BSS-DP-VC	on casters	brushed stainless steel	yes	AX0011 + SCUUV12

● OPTIONS

	Standard decorative front plate removable and reversible (front: brushed stainless steel / back: wood tone)	XENONSXR_STANDARD-PLATE
	Custom decorative plate (wood tone, solid color, logo, graphics...) Vector design and/or logo (.AI or .EPS file) required upon ordering	XENONSXR_CUSTOM-PLATE
	Dual screen bar for 2x 52-65" screens Including mounting brackets VESA 200x200 to 800x400 mm	AX034-02
	Pair of extended mounting brackets (600 mm vertical spacing) for VESA 600x600 or 800x600 max.	PC003230
	VESA 800 horizontal bar	PC003310
	Set of 4 adjustable Teflon pads to convert XENON S-XR from mobile to static	XENONSXR_PADS
	Cable hook , column-mounted	HOOK
	Additional small shelf Dimensions : 300 mm (w) x 230 mm (d)	AX0011
	Additional large shelf Dimensions : 450 mm (w) x 300 mm (d)	AX0012
	Universal codec/device holder Max. usable depth: 90 mm (behind-screen mounting)	SCUUV12
	HYBRIX storage cabinet for AV/IT equipment, white painted steel Lockable and removable plexiglass front panel (wood-effect finish)	HYBRIX
	Video bar mount, below screen Column mounting Camera model required upon ordering	ADT_R1COL_***