

XENON WIDE

SINGLE SCREEN

For a 65 to 90-inch screen



DIGITAL SIGNAGE

Number of screen : 1 screen

Screen size : 65 to 90"



Installation : floor stand

Finish : wood and brushed stainless steel

Part number :
XENONWS6590DS



70" screen simulation



XENON WIDE

SINGLE SCREEN

For a 75 to 100-inch screen



DIGITAL SIGNAGE

Number of screen : 1 screen

Screen size : 75 to 100"


Installation : floor stand


Finish : wood and brushed stainless steel

Part number :
XENONWS75100DS



85" screen simulation





• SPECIFICATIONS

Screen size	For a 65 to 90" screen	For a 75 to 100" screen
Part numbers	XENONWS6590DS	XENONWS75100DS
Base	Steel with brushed stainless steel casing	
Base thickness	15 mm	
Casters / Teflon pads	On Teflon pads	
Base dimensions (w x d x h)	1107 x 660 x 22 mm	
Column	Brushed stainless steel with wooden front trapdoor	
Trapdoor dimensions (w x h)	550 x 698 mm	
Column back cover	Back in black eco-friendly plexiglass, easy access	
Column dimensions (w x d x h)	550 x 150 x 1600 mm	
Screen fixing	Black painted steel with fixing kit	
Universal screen mount (VESA)	200 x 200 mm to 800 x 400 mm	200 x 200 mm to 1000 x 600 mm
Screen axis height	1140 mm to 1450 mm	
Max. screen weight	85 kg	130 kg
Stand weight	95 kg	110 kg

• OPTIONS

3U codec holder To be installed inside the column with a functional depth of 78 mm to 120 mm	P/N: SCU12_3U
Base on heavy load casters ø 100 mm	P/N: Largewheels/Xenon
Heavy load casters and skirt to cover up ø 100 mm	P/N: Largeskirtwheels/ Xenon
White finish Base and column in white with wooden front trapdoor	P/N: /WHITE
Black finish Base and column in black with wooden front trapdoor	P/N: /BLACK
Front trapdoor customisation Wooden front trapdoor, customised finish on request	P/N: on request
Other finish	P/N: on request