

# XENON WIDE

SINGLE SCREEN

For a 65 to 90-inch screen



## VIDEOCONFERENCING



Number of screen : 1 screen

Screen size : 65 to 90"

Installation : floor stand

Finish : wood and  
brushed stainless steel

Part number :  
XENONWS6590VCPACK



# XENON WIDE

SINGLE SCREEN

For a 75 to 100-inch screen



## VIDEOCONFERENCING

Number of screen : 1 screen

Screen size : 75 to 100"



Installation : floor stand

Finish : wood and  
brushed stainless steel

Part number :  
XENONWS75100VCPACK



Screen simulation 84"



## XENON WIDE SINGLE SCREEN

### • SPECIFICATIONS

| Screen size                        | For a 65 to 90" screen   | For a 75 to 100" screen            |
|------------------------------------|--|------------------------------------|
| Part number                        | XENONWS6590VCPACK  | XENONWS75100VCPACK                 |
| Base                               | Steel with brushed stainless steel casing  |                                    |
| Base thickness                     | 15 mm  |                                    |
| Castors / Teflon pads              | On Teflon pads   |                                    |
| Base dimensions (w x d x h)        | 1107 x 660 x 22 mm   |                                    |
| Column                             | Brushed stainless steel with wooden front trapdoor   |                                    |
| Trapdoor dimensions (w x h)        | 540 x 698 mm   |                                    |
| Column back cover                  | Back in black ecofriendly acrylic glass  |                                    |
| Column dimensions (w x d x h)      | 550 x 150 x 1600 mm  |                                    |
| Screen fixing                      | Black painted steel with fixing kit  |                                    |
| Screen fixing size (VESA)          | 200 x 200 mm to 800 x 400 mm VESA  | 200 x 200 mm to 1000 x 600 mm VESA |
| Screen axis with adjustable height | 1140 mm to 1450 mm   |                                    |
| Maximum screen weight              | 85 kg  | 130 kg                             |
| Stand weight                       | 95 kg  | 110 kg                             |
| Accessories included (VC PACK)     | <ul style="list-style-type: none"> <li>• 3U codec holder (SCUV12_3U)<br/>Depth from 78 mm to 120 mm</li> <li>• Universal camera holder (SCUV3) above the screen</li> </ul> |                                    |

### • OPTIONS

|  |                             |
|--|-----------------------------|
| <b>Base on heavy load casters</b><br>ø 100 mm  | P/N: Largewheels/Xenon      |
| <b>Heavy load casters and skirt to cover up</b><br>ø 100 mm                                | P/N: Largeskirtwheels/Xenon |
| <b>White finish</b><br>Base and column in white<br>with wooden front trapdoor              | P/N: /WHITE                 |
| <b>Black finish</b><br>Base and column in black<br>with wooden front trapdoor              | P/N: /BLACK                 |
| <b>Front trapdoor customisation</b><br>Wooden front trapdoor, customised finish on request | P/N: on request             |
| <b>Other finish</b>  | P/N: on request             |