

XENON WIDE

DUAL SCREEN

For two screens from 52 to 65"



VIDEOCONFERENCING


Number of screen : 2 screens

Screen size : from 52 to 65"


Installation : floor stand

Finish : wood and
brushed stainless steel

Part number :
XENONWD5265VCPACK



Screens simulation 65"



XENON WIDE

DUAL SCREEN

For two screens from 70 to 90"



VIDEOCONFERENCING

Number of screen : 2 screens

Screen size : from 70 to 90"



Installation : floor stand

Finish : wood and
brushed stainless steel

Part number :
XENONWD7090VCPACK



Screens simulation 70"



DUAL SCREEN

• SPECIFICATIONS

Screen size	For two screens from 52 to 65"	For two screens from 70 to 90"
Part numbers	XENONWD5265VCPACK	XENONWD7090VCPACK
Base	Steel with brushed stainless steel cover	
Base thickness	15 mm	
Casters / Teflon pads	On Teflon pads	
Base dimensions (w x d x h)	1107x 660 x 22 mm	
Column	Brushed stainless steel with wooden front trapdoor	
Trapdoor dimensions (w x h)	540 x 698 mm	
Column rear cover	Black rear cover in plexiglass, easy access	
Column dimensions (w x d x h)	550 x 150 x 1600 mm	
Screen fixing	Black painted steel with fixing kit	
Screen fixing size (VESA)	From 200 x 200 mm to 800 x 400 mm	
Screen axis with adjustable height	From 1140 mm to 1450 mm	
Maximum screen weight	40 kg/screen	60 kg/screen
Stand weight	165 kg	
Accessories included (VC PACK)	<ul style="list-style-type: none">• 3U codec holder (SCUV12_3U) Depth from 78 mm to 120 mm• Universal camera holder (SCUV3) above the screen + adaptator dual screen (SCUV3_2)	

• OPTIONS

Other finish	P/N: upon request
--------------	-------------------